I'm not robot

Continue

Kleenmaid eco sensitive dishwasher manual pdf download 2018

See what the power usage of the dishwasher is, which is indicated in Watt, and check if the extension cord on handle this. Verified No. Wooden objects can get damaged or warped in a dishwasher is, which is indicated in Watt, and check if the extension cord on handle this. Verified No. Wooden objects can get damaged or warped in a dishwasher is, which is indicated in Watt, and check if the extension cord on handle this. Verified No. Wooden objects can get damaged or warped in a dishwasher is, which is indicated in Watt, and check if the extension cord on handle this. QUICK USER GUIDE SAFETY INFORMATION PRODUCT OVERVIEW USING YOUR DISHWASHER Basket Use Tips MAINTENANCE AND CLEANING... For better cleaning result, especially if you have very dirty items, pour a small amount of detergent onto the door (B). Dual zone wash function: press the button to select either upper basket or lower basket loaded, and the response) will light up. This was helpful (482) After the dishwaser has finished its cycle, the plastic dishes are still wet but the rest isn't. This was helpful (324) Is it a problem to have scratches on the metal on the inside of the dishwasher? For safety, cut off the appliance power supply cable and disable the door closing device. The free end of the hose must not be immersed in water to avoid back flow. For washing the following cutlery/dishes dishwashers Are not suitable: Cutlery with wooden, horn, china or mother-of-pearl handles... Page 45 This page intentionally left blank... Page 24 Problem Possible causes Solution Detergent dispenser is Fill rinse aid dispenser or increase the empty amount of rinse aid. c. Cardboard packaging is manufactured from recycled paper and should be disposed in the waste paper collection for recycling. In the event that a request for repair is made against this Kleenmaid Warranty where the serial number for the Product cannot be verified or you cannot produce for verification a proof of purchase for the Product (including but not limited to the original invoice), the repairer will not carry out any repairs on the Product and you will be charged a service call-out fee. After my dishwasher has finished it's cycle, the container that holds the tablet hasn't opened. 06 TROUBLESHOOTING TIPS Before Calling For Service Reviewing the charts on the following pages may save you from calling for service. When cleaning a pan with Teflon by hand, never use a scourer but use a soft sponge or cloth. Page 10 Disposal To dispose of packaging and the appliance please go to a recycling centre. The height of the drain pipe must be less than 1000mm. If you find an inaccuracy in our frequently asked questions, please let us know by using our contact form. About Power Connection WARNING For personal safety: Do not use an extension cord or an adapter... 3. Need a manual for your Kleenmaid DW6020X Dishwasher? Page 2 Once installation is complete, please read this instruction manual carefully and get to know the controls and the features of your new Kleenmaid appliance. After every washing cycle, please operate as follows: 1. Some dishwashers are equipped with a feature that dries the dishwasher immediately after the program has ended. There are extension cords with thicker cables that are made to handle larger appliances. Open the door completely. NOTE: Clean up any spilled rinse aid with an absorbent cloth to avoid excessive foaming during the next wash. Never use soap, laundry detergent, or hand washing detergent in your dishwasher. Connection Of Drain Hoses Insert the drain hose into a drain pipe with a minimum diameter of 40mm, or let it run into the sink, making sure to avoid bending or crimping it. Yes No1 vote Our support team searches for useful product information and answers to frequently asked questions. 07 LOADING THE BASKETS ACCORDING TO AS/NZS 2007.1: 1.Upper basket: Item Number Cups Saucers Glasses Item Number Dinner plates Description Energy Water... The dishwasher is equipped with water supply and drain hoses that can be positioned either to the right or the left sides to facilitate proper installation. Lift the filter upwards and out of The coarse filter can be detached the top (a). Description Energy Water Running Detergent Rinse Program Of Cycle (Kwh) Time(min) Pre/Main Wash(45°C) Rinse(55°C) 12.5 Rapid Rinse(55°C) 12.5 Rapid Rinse(55°C) 12.5 Rapid Rinse(55°C) Prewash 0.02 Soak NOTE: AS/NZS 2007.1: This program is the test cycle. Do not abuse, sit on, or stand on the door or dish rack of the dishwasher. All utensils are stacked securely and cannot tip over. Install the dishwasher Please check PART 1 section 05 "INSTALLATION INSTRUCTIONS" Inside Outside Loading the baskets Removing the larger residue on the dishes and cutlery Selecting a program and Filling the dishwasher... Page 4 PART 2 Specific Information DW6030 USING YOUR DISHWASHER Control Panel Preparing And Loading Dishes Function Of The Rinse Aid And Detergent Filling The Rinse Aid Reservoir Filling The Detergent Dispenser PROGRAMMING THE DISHWASHER Wash Cycle Wash... If it does not fit the outlet have a proper outlet installed by a qualified electrician. When the dishwasher is being loaded, food and drink residues may drip onto the sides of the dishwasher door. These surfaces are outside the wash cabinet and are not accessed by water from the spray arms. Also, the wood fibres that come free might damage the dishwasher. 04 MAINTENANCE AND CLEANING External Care The door seals regularly with a soft damp cloth to remove food deposits. restricted, or water pressure is too low. Verified No, regular salt may contain substances that can cause damage to your appliance. To identify these: Meanings Codes Possible Causes Tap is not opened, or stolen as a result of freight, transport or storage. Folding back the rack shelves The spikes are used for holding plates and a platter. Position the dishes and cookware so that they will not be moved by the spray of water. Page 9 Do not wash plastic items unless they are marked "dishwashers are equipped with a water stop, making the program stop immediately when the door is opened and meaning no water will come out. Page 31 Display Extra wash To wash very dirty, hard to clean dishes. To protect against the risk of electrical shock, do not immerse the unit, cord or plug in water or other liquid. Top spray arm Inner pipe Lower basket NOTE: Pictures are only for reference. Page 7 Packaging material could be dangerous for children! This appliance is for indoor household use only. 01 USING YOUR DW6030 DISHWASHER Control Panel Operation (Button) Press this button to turn on your dishwasher. Page 34 Loading the upper basket The upper basket is designed to hold more delicate and lighter dishware such as glasses, coffee and tea cups and saucers, as well as plates, small bowls and shallow pans (as long as they are not too dirty. Do not operate your dishwasher : Inside Outside 1. This was helpful (324) Page 1 Instructions for use and warranty details Dishwasher Model No.: DW6030... Filling The Detergent dispenser release catch. bottom of the dishwasher in winter, especially if the ambient temperature is likely to be below 0'C. Intensive For heaviest soiled crockery, such as pots, pans, casserole dishes and dishes that have been sitting with dried food on them for a while. Add detergent into the larger cavity (A) for the main wash cycle. The parameters for the comparability test are in accordance with *AS/NZS 2007.1 Starting A Wash Cycle 1. Check this before turning on the dishwasher. Verified Rinsing the dishwasher by leaving a product rating. Page 27 3. Cutlery basket: Item Number Forks Soup spoons Dessert spoons 4 4 4 Teaspoons Knives Information for comparability tests in accordance with (*AS/NZS 2007.1) Capacity: 15 place settings Position of the drying cycle for the drying cycle f performance test (Door position: Open 50 mm) Page 28 CONTENTS Part 2 DW6030 USING YOUR DW6030 DISHWASHER Control Panel Preparing And Loading Dishes Function Of The Rinse Aid And Detergent Filling The Rinse Aid Reservoir Fi Wash... Page 15 Coarse filter Coarse filter Coarse filter Main filter Fine filter Open Open Hold the coarse filter and rotate it The fine filter can be pulled off the anticlockwise to unlock the filter. Loading the basket 2. Fill in detergent (Please check Part 2 Section 1) Basket Use Tips Adjusting the upper basket The height of the upper basket can be easily adjusted to accommodate taller dishes in either the upper or lower basket. Cut off the electrical power to the dishwasher at the supply source. It also improves drying by allowing water to roll off the dishwasher at the supply source. It also improves drying by allowing water to roll off the dishwasher at the supply source. It also improves drying by allowing water to roll off the dishwasher and the location of the dishwasher at the supply source. It also improves drying by allowing water to roll off the dishwasher at the supply source. Problem Possible causes Solution Shut the door completely and make sure Dishwasher won't start it is latched Power supply or power Check and connect the power supply Dishwasher doesn't line is not connected... Please unplug before cleaning and performing maintenance on the appliance. Page 8 Do not modify the plug provided with the appliance. 05 INSTALLATION INSTRUCTION WARNING Electrical Shock Hazard Disconnect electrical power before installing dishwashers is made of stainless steel and are not affected by scratches. Below you can view and download the PDF manual for free. Page 25 Problem Possible causes Solution Excessive suds caused Make sure to use only proper using improper dishwasher leaks detergent Dishwasher leaks detergent Dishwasher is not level Level the dishwasher use a mild abrasive cleaner to eliminate Black or gray marks Aluminum utensils the marks. The moisture that remains on it then evaporates far less than for example on ceramics or metal.)Means: need to fill the Rinse-Aid Dispenser. Not reaching required Malfunction of heating element. You can then lean the tall glasses against it. WARNING Only use branded rinse aid for dishwasher. When in doubt, contact the manufacturer. If the water pipes are new or have not been used for an extended period of time, let the water run to make sure ordinary supply hose that the water is clear. Page 44 This page intentionally left blank... This was helpful (574) Should I open the dishwasher after it finished running to have the dishwasher after it finished running to h forming droplets on your dishes, which can leave spots and streaks. For unmarked plastic items not so marked, check the manufacturer's recommendations. are faced downwards. 1. Page 30 Display Auto Auto sensing wash, lightly, or heavily soiled crockery, with or with out dried-on food. Your dishwasher is designed to use liquid rinse aids. Heavy For heavily soiled loads, such as pots, plates, glasses and lightly soiled pans. Please check Part 2 for information specific to DW6030. You can also remove it when it is not required for use. 01 QUICK USER GUIDE Please see the corresponding sections of the instruction manual for operating details. 02 PROGRAMMING THE DISHWASHER Wash Cycle Table The table below shows which programs are best for the levels of food residue on dishes and how much detergent is needed. Filling The Rinse Aid into the dishwasher in the following way: Items such as cups, glasses, pots/pans, etc. These simple instructions will enable you to achieve excellent results from the very first time you use it. Water Supply And Drain Cold water connection Connect the cold water supply hose to a threaded 3/4 (inch) connector and make sure that it is fastened tightly in place. This was helpful (416) Can I connect a dishwasher to an extension cord? All utensils are placed so that the spray arms can rotate freely during washing. Press Program button for more than three seconds so the machine will be in stand by state. Verified It is likely that the heating element is defective. This was helpful (918) Can I open the dishwasher while it is running? 04 TECHNICAL INFORMATION Height (H) 845mm Width (W) 598mm Depth (D1) 600mm (with the door closed) Depth (D2) 1175mm (with the door opened 90°) Page 43 Product data Manufacturer Kleenmaid Type / Description DW6030 Standard place settings Energy efficiency class Water consumption class Standard cleaning cycle Energy consumption of the standard cleaning cycle 0.641 kWh Water consumption of the standard cleaning cycle 12 litres Program duration of the standard cleaning cycle with drying not included the drying Water hardness is too... Page 22 Fitting Under Existing Work Top In most modern fitted kitchens there is only one single work top under which cabinets and electrical appliances are fitted. To clean the spray arm, pull hold the nut in the centre still and out the spray arm upward. With built-in dishwasher while running may cause water damage to surrounging cabinets because of the steam that is released. Curved items, or ones with recesses, should be loaded aslant so that water can run off. However, the pan will wear faster than when it is cleaned by hand. There are also frequently asked questions, a product rating and feedback from users to enable you to optimally use your product. Go to a Repair Café for free repair services. How is this possible? Verified Yes, you can. This was helpful (325) Can I put pans with Teflon in the dishwasher? This was helpful (5116) Can I use regular salt in my dishwasher? Attention After removing the work top, the screws MUST BE screwed in again under the rear edge of the top (b). This was helpful (2578) Do I need to rinse my dishes that are blocking the container. These could clog the drain over time. With some models this can cause problems over time. In that case opening the dishwasher will have no added value. Page 16 Spray arms regularly for hard water chemicals will clog the spray arm jets and bearings. 03 ERROR CODES If there is a malfunction, the dishwasher will display error codes. It also show information about the programs. Why is that? Fill the rinse aid dispenser (Please check Part 2 Section 1) 3. Attention The installation of the pipes and electrical equipments should be done by professionals. Wooden cutting boards are often made with glue that can come loose after being in the dishwasher several times. Page 13 Folding back the cup shelves To make room for taller items in the dishwasher basket, raise the cup rack upwards. If this is not the manual you want, please contact us. Is your product defective and the manual offers no solution? This was helpful (6734) The dishwasher does not heat the water anymore, why is that? This was helpful (325) Can I put wooden objects such as spatulas and cutting boards in the dishwasher? Want to share your experiences with this Kleenmaid product? (Part 1 and Part 2) before using it for the first time. Power Select the appropriate washing program and the selected Program program indicator will light up. Have it replaced. SAFETY INFORMATION WARNING When using your dishwasher, observe the precautions such as: -staff kitchen areas in shops, offices and other working environments; -farm houses; -by clients in hotels, motels and other residential type environments;... Position The Appliance Position the appliance in the desired location. Page 48 Other products available in the Kleenmaid range of appliances Washing machines Clothes dryers Dishwashers Ovens Cooktops Steam ovens Built in espresso coffee machines Rangehoods Freestanding ovens Compass Capital Services Pty Limited trading as Kleenmaid ABN 96138214525 Level 2, 204 Botany Road Alexandria NSW 2015 E: support@kleenmaid.com.au... Verified Appliances that require large amounts of power, like a dishwasher, can not be connected to all extension cords. The back should rest against the wall behind it, and the sides, along the adjacent cabinets or walls. Verified Plastic is a bad conductor of heat, allowing the products to cool down quickly. If you are required to transport the Product to an authorised service centre, you must ensure that it is securely packed and insured. Use only detergent and rinse agents recommended for use in an automatic dishwasher. (It can only be used with Auto, Intensive, Heavy, ECO, Glass, 90Min) Extra drying Function To dry dishes more completely. (It can only be used with indication Auto, Intensive, Heavy, ECO, Glass, 90Min) Express Reduce the program time. Preparing And Loading Dishes Consider buying utensils which are identified as dishwasher-proof.

